

HIT-RE 500

依据标准 : GB/T 16483, GB/T 17519-2013

Version:9.2

Revision date:2018/08/09

Date of issue:2018/08/09

Supersedes:2017/08/11

SECTION 1 Chemical product and company identification

Product identifier

Product name HIT-RE 500
Product code BU Anchor



Details of the supplier of the safety data sheet

Hilti (China) LTS.
Greenland Center No. 600 Middle Longhua Road, 22/F Block B
Xuhui District
200233 Shanghai - China
T +86 21 6016 7320
800-820-2585 (Toll Free) - F +86 21 6485 0311
cncs@hilti.com

Supplier

Hilti (China) LTS.
Greenland Center No. 600
Middle Longhua Road, 22/F
Block B
Xuhui District
200233 Shanghai - China
T +86 21 6016 7320
800-820-2585 (Toll Free) - F
+86 21 6485 0311
cncs@hilti.com

Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum -
24h Service
+41 44 251 51 51 (international)
+86 21 6016 7320
800-820-2585 (Toll Free)

Country	Organisation/Company	Address	Emergency number
China	chemical accident emergency consultation service hotline (24/7)		400-6267-911

SECTION 2: Hazards identification

Emergency overview

Thixotropic paste. red. Grey. Amine-like. Corrosive vapours. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Use personal protective equipment as required. Equip cleanup crew with proper protection

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

GHS classification

Health hazards	Skin corrosion/irritation, Category 1B Serious eye damage/eye irritation, Category 1 Skin sensitisation, Category 1 Reproductive toxicity, Category 1B
Environmental hazards	Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2
Other hazards not mentioned above are	Not applicable or No data is available.

GHS-CN labelling

Hazard pictograms (GHS-CN)



GHS05

GHS07

GHS08

GHS09

Signal word (GHS-CN)

Danger

Hazard statements (GHS-CN)

H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H360 - May damage fertility..
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS-CN)


P262 - Do not get in eyes, on skin, or on clothing, P280 - Wear eye protection, protective clothing, protective gloves, P302+P352 - IF ON SKIN: Wash with plenty of water, P333+P313 - If skin irritation or rash occurs: Get medical advice/attention, P337+P313 - If eye irritation persists: Get medical advice/attention, P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, P410+P403 - Protect from sunlight. Store in a well-ventilated place, P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

Additional information

SECTION 3: Composition/information on ingredients

Product form

Mixture



Component A: Epoxy resin, Reactive diluent, inorganic filler

Component B: Amine hardener, inorganic filler

A		
Name	CAS-No.	Concentration (%)
2, 2' - [(1-methylethylidene)bis(4, 1-	1675-54-3	10 - 25

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

phenyleneoxymethylene)]bisoxirane		
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	9003-36-5	5 - 10
Reaction products of hexane-1,6-diol with 2-(chloromethyl)	933999-84-9	5 - 10
1,3 Propanediol, 2 ethyl-2-(hydroxymethyl)-, polymer with 2-(chloromethyl)oxirane	30499-70-8	2.5 - 5
B		
Name	CAS-No.	Concentration (%)
m-Xylylenediamine	1477-55-0	5 - 10

SECTION 4: First aid measures

Emergency

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash with plenty of water/... Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical advice/attention.
First-aid measures after eye contact	Get immediate medical advice/attention. Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	Drink plenty of water. Do not induce vomiting. Rinse mouth. Immediately call a POISON CENTER/doctor.

Most Important Symptoms/Effects

Symptoms/effects	Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	May cause an allergic skin reaction.
Symptoms/effects after eye contact	Causes serious eye damage.

Personal Protection in First Aid and Measures

Notes for the doctor

Other medical advice or treatment	Treat symptomatically
-----------------------------------	-----------------------

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 5 Fire fighting measures

Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media Do not use a heavy water stream.

Special hazard

Hazardous decomposition products in case of fire Thermal decomposition generates :
Carbon dioxide
Carbon monoxide

Advice for firefighters and protective measures

Firefighting instructions Use water spray or fog for cooling exposed containers
Exercise caution when fighting any chemical fire
Prevent fire fighting water from entering the environment
Protection during firefighting Self-contained breathing apparatus
Do not enter fire area without proper protective equipment, including respiratory protection

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard

For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

For emergency responders

Protective equipment Equip cleanup crew with proper protection.
Emergency procedures Ventilate area.

Environmental precautions

Environmental precautions Prevent entry to sewers and public waters
Notify authorities if liquid enters sewers or public waters
Avoid release to the environment
Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations.
After curing, the product can be disposed of with household waste.

Methods and Equipment for Containment and Cleaning up

For containment Collect spillage.

Prevention Measures for Secondary Accidents

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 7 Handling and storage

Handling

Precautions for safe handling

Wear personal protective equipment
 Avoid contact with skin and eyes
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work
 Avoid contact during pregnancy/while nursing

Hygiene measures

Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before reuse.

Storage

Storage conditions

Protect from sunlight. Store in a well-ventilated place.

Technical measures

Comply with applicable regulations

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls / Personal protection equipment

Occupational Exposure Limits

No additional information available

Biological limit values

No additional information available

Monitoring methods

Personal protective equipment

Personal protective equipment

Avoid all unnecessary exposure

Environmental exposure controls

Avoid release to the environment.

Consumer exposure controls

Avoid contact during pregnancy/while nursing.

Other information

Do not eat, drink or smoke during use

Hand protection

Wear protective gloves.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves.	Nitrile rubber (NBR).	6 (> 480 minutes).	> 0,4		EN 374.

Eye protection

Chemical goggles or safety glasses

Type	Use	Characteristics	Standard

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Safety glasses.	Droplet.	clear.	EN 166, EN 170.
Skin and body protection	Wear suitable protective clothing		
Respiratory protection	Wear appropriate mask		



SECTION 9 Physical and chemical properties

Physical state	Solid
Appearance	Thixotropic paste
Colour	component A: grey, component B: Red
Odour	Amine-like
Odour threshold (ppm)	No data available
Odour threshold (mg/m ³)	No data available
pH	11.5 (Component B)
pH solution	No data available
Relative evaporation rate (butylacetate=1)	No data available
Relative evaporation rate (ether=1)	No data available
Evaporation rate	No data available
Other properties	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Non flammable.
Critical temperature	No data available
Vapour pressure	No data available
Vapour pressure at 50 ° C	No data available
Critical pressure	No data available
Relative vapour density at 20 ° C	No data available
Relative density	No data available
Relative density of saturated gas/air mixture	No data available
Density	1.45 g/cm ³ (A: 1,46 g/cm ³ B: 1,41 g/cm ³)
Relative gas density	No data available
Solubility	No data available
Solubility in water	No data available
Solubility in ethanol	No data available
Solubility in ether	No data available

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Solubility in acetone	No data available
Solubility in organic solvents	No data available
Log Pow	No data available
Log Kow	No data available
Explosive limits (g/m ³)	No data available
Explosive limits (vol %)	No data available
Lower explosive limit (LEL)	No data available
Upper explosive limit (UEL)	No data available
Radioactive	No

SECTION 10: Stability and reactivity

Chemical stability	Not established
Possibility of hazardous reactions	Not established
Conditions to avoid	Direct sunlight. Extremely high or low temperatures
Incompatible materials	Strong acids Strong bases
Hazardous decomposition products	fume Carbon monoxide Carbon dioxide

SECTION 11: Toxicological information

Acute toxicity

Acute toxicity (oral)	No data available
Acute toxicity (dermal)	No data available
Acute toxicity (inhalation)	No data available

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	
LD50 oral rat	> 5000 mg/kg bodyweight (Rat; ECHA)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; ECHA)
Reaction products of hexane-1,6-diol with 2-(chloromethyl)	
LD50 oral rat	3010 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CN (oral)	3010 mg/kg bodyweight
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	
LD50 oral rat	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity - Acute Toxic Class Method; Experimental value)
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
m-Xylylenediamine	
LD50 oral rat	1090 mg/kg
LD50 oral	660 mg/kg
LD50 dermal rat	> 3100 mg/kg

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

LD50 dermal	2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.34 mg/l/4h
ATE CN (oral)	660 mg/kg bodyweight
ATE CN (dermal)	2000 mg/kg bodyweight
ATE CN (dust, mist)	1.34 mg/l/4h

Skin corrosion/irritation

Skin corrosion/irritation Causes severe skin burns and eye damage.
pH 11.5 (Component B)

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Germ cell mutagenicity No data available

Carcinogenicity

Carcinogenicity No data available

Reproductive toxicity

Reproductive toxicity May damage fertility..

STOT-single exposure

STOT-single exposure No data available

STOT-repeated exposure

STOT-repeated exposure No data available

Aspiration hazard

Aspiration hazard No data available

HIT-RE 500	
Human evidence for classification	No
Not able to form a pool	No

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Hydrocarbon	No
Aliphatic, alicyclic or aromatic hydrocarbon	No
Polycyclic-aromatic hydrocarbons	No
Density	1.45 g/cm ³ (A: 1,46 g/cm ³ B: 1,41 g/cm ³)

SECTION 12: Ecological information

Toxicity

Ecology - water	Very toxic to aquatic life.
Acute aquatic toxicity	Toxic to aquatic life.
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects.

Reaction products of hexane-1,6-diol with 2-(chloromethyl)	
LC50 fish 1	30 mg/l
EC50 Daphnia 1	47 mg/l

2, 2' - [(1-methylethylidene)bis(4, 1-phenyleneoxymethylene)]bisoxirane	
LC50 fish 1	1.2 mg/l (96 h; Oncorhynchus mykiss; Lethal)
LC50 fish 2	2.3 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)
EC50 Daphnia 1	1.7 mg/l
ErC50 (algae)	> 11 mg/l (EPA 660/3 - 75/009, 72 h, Scenedesmus sp., Static system, Fresh water, Experimental value)
BCF other aquatic organisms 1	31 (Estimated value, Fresh weight)

m-Xylylenediamine	
LC50 fish 1	75 mg/l
EC50 Daphnia 1	15 mg/l
NOEC chronic crustacea	4.7 mg/l

Persistence and degradability

HIT-RE 500	
Not rapidly degradable	No
Persistence and degradability	Not established

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	
Not rapidly degradable	No

Reaction products of hexane-1,6-diol with 2-(chloromethyl)	
Not rapidly degradable	No

1,3 Propanediol, 2 ethyl-2-(hydroxymethyl)-, polymer with 2-(chloromethyl)oxirane	
Not rapidly degradable	No

2, 2' - [(1-methylethylidene)bis(4, 1-phenyleneoxymethylene)]bisoxirane	
Not rapidly degradable	Yes

HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

m-Xylylenediamine	
Not rapidly degradable	Yes

Bioaccumulative potential

HIT-RE 500	
Bioaccumulative potential	Not established

2, 2'-[(1-methylethylidene)bis(4, 1-phenyleneoxymethylene)]bisoxirane	
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500)
BCF other aquatic organisms 1	See section 12.1 on ecotoxicology
Log Pow	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 ° C)
Log Koc	2.65 (log Koc, SRC PCKOCWIN v2.0, QSAR)

Mobility in soil

HIT-RE 500	
Ecology - soil	Not established

2, 2'-[(1-methylethylidene)bis(4, 1-phenyleneoxymethylene)]bisoxirane	
Ecology - soil	Low bioaccumulation potential (BCF < 500)
Surface tension	58.7 - 58.9 mN/m (20 ° C, EU Method A.5: Surface tension)
Log Pow	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 ° C)
Log Koc	2.65 (log Koc, SRC PCKOCWIN v2.0, QSAR)

Other adverse effects

Classification procedure (Ozone)	No data available
Other information	Avoid release to the environment.

Results of PBT and vPvB assessment

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
Ecology - waste materials	Avoid release to the environment.





SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

HIT-RE 500

Safety Data Sheet


according to the United Nations GHS (Rev. 4, 2011)

ADR	IMDG	IATA	RID
14.1. UN number			
3259	3259	3259	3259
14.2. UN proper shipping name			
AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	Amines, solid, corrosive, n.o.s. (m-Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)
Transport document description			
UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine), 8, II, (E)	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine), 8, II	UN 3259 Amines, solid, corrosive, n.o.s. (m-Xylylenediamine), 8, II	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine), 8, II
14.3. Transport hazard class(es)			
8	8	8	8
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			

Special precautions for user

- Overland transport

Classification code (ADR) C8
 Special provisions (ADR) 274
 Limited quantities (ADR) 1kg
 Packing instructions (ADR) P002, IBC08
 Mixed packing provisions (ADR) MP10
 Orange plates



Tunnel restriction code (ADR) E

- Transport by sea

Special provisions (IMDG) 274
 Limited quantities (IMDG) 1 kg



HIT-RE 500

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Packing instructions (IMDG)	P002
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-B
Stowage category (IMDG)	A
MFAG-No	154

- Air transport

PCA packing instructions (IATA)	859
PCA max net quantity (IATA)	15kg
CAO packing instructions (IATA)	863
Special provisions (IATA)	A3

- Rail transport

Special provisions (RID)	274
Limited quantities (RID)	1kg
Packing instructions (RID)	P002, IBC08
Carriage prohibited (RID)	No

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

SECTION 16 Other information

Compiled according to GB/T 16483, GB/T 17519

Indication of changes

Section	Changed item	Change	Comments
3.	Composition/information on ingredients.	Modified.	

SDS_CN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product