

SAFETY DATA SHEET

According to GB/T 16483; GB/T 17519 as amended

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RENOLIT LST 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

FUCHS LUBRICANTS GERMANY GmbH Manufacturer / Supplier

> Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

E-mail: Automotive lubricants automotive-FLG@fuchs.com

industrie-FLG@fuchs.com Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

1.4 Emergency telephone number: +86 0532 8388 9090

SECTION 2: Hazards identification

Emergency Overview

Form: **Paste**

Color: **Light brown** Odor: Characteristic

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Stable under normal use conditions.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023

SDS_ - - 000000000600877019



Product name: RENOLIT LST 2

2.1 Classification of the substance or mixture

The product has not been classified as hazardous and does not need to be labelled according to the legislation in force.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements Not applicable

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

The components are not hazardous or are below required disclosure limits.

In this SDS "," (comma) is used as thousands separator and "."(point) as decimal separator.

SECTION 4: First aid measures

General: Be aware of own risk during rescue!

Observe good industrial hygiene practices.

Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate

medical attention and special treatment needed

Get medical attention if symptoms occur.

Notes to the physician Symptomatic and supportive treatment.

SECTION 5: Firefighting measures

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023

SDS_ - - 00000000600877019



Product name: RENOLIT LST 2

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire fighting procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Not required.

6.2 Environmental Precautions:

Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other

sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

7.2 Conditions for safe storage, including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

7.3 Specific end use(s): No data available.

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023

SDS_ - - 00000000600877019



Product name: RENOLIT LST 2

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

be adhered to inhandling the chemicals or the mineral oil products

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: solid

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023 SDS_- - 000000000600877019

Revision Date: 04.09.2020 Version: 1.2



Product name: RENOLIT LST 2

Form: Paste
Color: Light brown
Odor: Characteristic

Odor Threshold: Not applicable for mixtures

pH: Not applicable

Freezing point: Not applicable for mixtures

Boiling Point:

Flash Point:

Not applicable

Not applicable

Evaporation Rate:Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0.98 g/ml (0.00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification

Decomposition Temperature: Value not relevant for classification

NLGI:

Explosive properties:Value not relevant for classification **Oxidizing properties:**Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023

SDS_ - - 000000000600877019



Product name: RENOLIT LST 2

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023 SDS_- - 000000000600877019

Revision Date: 04.09.2020 Version: 1.2
Print date: 20.10.2023



Product name: RENOLIT LST 2

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

SECTION 14: Transport information

ADR/RID

14.1 UN Number: –

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s):

Hazard No. (ADR): Tunnel restriction code: -

14.4 Packing Group: –
14.5 Environmental hazards: –

14.6 Special precautions for user:

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023

SDS_ - - 000000000600877019



Product name: RENOLIT LST 2

ADN

14.1 UN Number: -

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
14.3 Packing Group: –

14.5 Environmental hazards:

14.6 Special precautions for user: –

IMDG

14.1 UN Number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
EmS No.: –

14.3 Packing Group: -

14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.0 Special precautions for user.

IATA

14.1 UN Number: –

14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –

14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

Inventory Status

 	and the same of th		
IECSC	On or i	n compliance with the inventory	

Decree No. 591 of the State Council of the People's Republic of China:Regulations on the Control over Safety of Hazardous Chemicals

GB 6944: Classification and code of dangerous goods

GB 12268: List of dangerous goods

GB 190: Packing symbol of dangerous goods

GB 13690: General rule for Classification and hazard communication of chemicals

GB 30000.(2-29): Rules for classification and labelling of chemicals - Part 2-29

GB 15258-2009: General Rules for Preparation of precautionary label for chemicals

GBZ 2.1: Occupational exposure limits for hazardous agents in the workplace

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Issue Date: 30.10.2013 Revision Date: 04.09.2020

Print date: 20.10.2023 SDS_ - - 00000000600877019

8/9



Product name: RENOLIT LST 2

Wording of the H-statements in section 2 and 3

none

Revision Date: 04.09.2020

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 30.10.2013 Revision Date: 04.09.2020 Print date: 20.10.2023 SDS_ - - 000000000600877019

Revision Date: 04.09.2020 Version: 1.2